Invitation to Bid/Request for Quotation

Body Worn Camera System(s) for the City of Kirksville Police Department

The Kirksville, Missouri Police Department is desirous of purchasing an inexpensive, yet quality based, turnkey body worn camera system.

COMMUNITY/DEPARTMENT DATA

Kirksville is primarily an agricultural based community of 17,500 full-time residents located in a fairly isolated section of north central Missouri. It is home to Truman State University, ATSU - a medical school (the founding school of Osteopathic Medicine) and a new fully accredited dental school.

Kirksville is the largest community in the area with a daytime population well in excess of the census data and is an officially recognized micropolitan area with 30,000 residents.

The Kirksville Police Department (hereafter KPD) operates with 29 employees (26 commissioned), a budget of more than 2 million dollars, and a value based philosophy that puts community oriented policing into practice. Based on a number of factors the Department is fairly busy answering 29,000 calls for service every year.

Patrol Operations currently work 12 hour shifts.

INTRODUCTION

The City of Kirksville, Missouri (hereafter The City) will accept sealed bids for the purchase of a complete, turnkey, police Body Worn Camera System (hereafter BWC). Sealed bids will be received at the office of the City Clerk, Kirksville City Hall, 201 S. Franklin Street, Kirksville Missouri 63501, until 3:00 pm on November 22, 2016; at which time bids will be publicly opened and read aloud. Any bid with erasures or alterations of any kind shall be rejected as unresponsive. No proposal will be considered unless properly signed by a legally authorized agent of the bidder. Only bids written on the City's bid form will be accepted.

By action of the City Council, the municipal purchasing officers are encouraged to select products manufactured, assembled, or produced in the United States of America.

All products, if any, shall be F.O.B. City Hall, 201 S. Franklin, Kirksville, Missouri, 63501.

The City reserves the right to reject any and all bids, and to waive any and all irregularities and/or formalities as deemed appropriate in the sole discretion of the City, and to negotiate contract terms with successful bidder(s) and the right to disregard all nonconforming, nonresponsive or conditional bids. Discrepancies from any specification will not automatically disqualify a bidder, however, that deviation needs to be clearly identified and an explanation provided.

No bid may be withdrawn 60 days after the time for opening of the bids is past.

All bids are to be addressed to City Clerk, City of Kirksville, 201 S. Franklin, Kirksville, Missouri, 63501, and plainly marked on the lower left corner of the envelope — Bid-Police Body Worn Camera System(s). Any bids received after the designated time of the announced bid opening shall be refused and returned to bidder unopened.

If bidder provides any work/support onsite; to the fullest extent permitted by Laws and Regulations BIDDER shall indemnify and hold harmless CITY and their consultants, agents and employees from and against all claims, damages, losses and expenses, direct, indirect or consequential (including but not limited to fees and charges of attorneys and other professionals and court and arbitration costs) arising out of or resulting from the performance of the Work, provided that any such claim, damage, loss or expense (a) is attributable to bodily injury, sickness, disease or death, or to injury to or destruction of tangible property (other than the Work itself) including the loss of use resulting therefrom and (b) is caused in whole or in part by any negligent act or omission of BIDDER, any Subcontractor, any person or organization directly or indirectly employed by any of them to perform or furnish any of the Work or anyone for whose acts any of them may be liable, regardless of whether or not it is caused in part by a party indemnified hereunder or arises by or is imposed by Law and Regulations regardless of the negligence of any such party.

Bidder must adhere to the City's insurance requirements for standard contracts (attached).

The City does not discriminate in its decisions on the basis of ancestry, race, color, national origin, gender, gender identity, sexual orientation, marital status, religion, age, disability or any other basis that would be in violation of any applicable federal, state or local law in the provision of services.

Body Worn Camera System(s) for the City of Kirksville Police Department

General: To provide a complete (turnkey), including management software, BWC system(s).

It is the intent to fund sufficient cameras to equip the entire twenty person uniform division, and if possible, others (e.g. 3 person detective division) with individually issued BWC's. Total numbers of BWC's purchased will ultimately depend on cost.

As a result, the bid sheet will ask for an all-inclusive BWC/hardware per unit cost/price for up to 27 units.

Extent of Project: At its most basic this project will involve providing state-of-the-art BWC's, associated hardware (e.g. charging/docking stations, clips/attachments), advanced supportive software for inhouse storage/review/retrieval/evidence, meticulous evidence management practices and acceptable warranties/technical support.

Final evaluation may involve a request for field trials to be evaluated by an existing BWC Evaluation Committee.

A draft BWC policy is available for review, upon request. This is a draft policy and may change based on the technical capabilities of the BWC system selected.

At this point in time, due somewhat to cost considerations, **City Management has clearly mandated** that **BWC** data be stored in-house, on **City servers**. However, if any vendor would like to submit a competitive bid for a cloud based, or hybrid, system they are free to do so (with no guarantees of any consideration).

General Specifications:

In most cases, unless otherwise specified, the requirements below and on the attached specification worksheet are bare minimum, not necessarily what is desirable. This will include:

1. The provision of a simple and complete (turnkey) BWC system(s).

Small, state-of-the-art, high quality BWC's, meeting the specifications included in the attached work/spec sheets (to be completed by the bidder).

The provision of adequate supporting hardware (e.g. chargers, docking stations/or similar technology, secure attachment devices) meeting the specifications included in the following specification sheets.

The provision of advanced supportive software for in house storage/review/retrieval/evidence management included in the attached work/spec sheets.

Long-term and responsive tech support.

One year complete warranty with an option to extend to three (3) total years.

CITY OF KIRKSVILLE, MISSOURI POLICE DEPARTMENT BID

Body Worn Camera System(s) for the City of Kirksville Police Department

TO: City of Kirksville, Missouri

The undersigned, as bidder, declares that he/she is familiar with the requirements of the specifications; and if this proposal is accepted, to furnish a complete Body Worn Camera system for the City of Kirksville, Missouri Police Department for the following amount:

Bid Project Specifications

| DESCRIPTION | | PER UNIT PRICE |
|---|--------------------|--------------------|
| Small, state-of-the-art, high quality BWC's, and supporting (e.g. chargers, docking stations/or similar technology, seattachment devices), and all associated licenses, meeting included in the attached work/spec sheets. | ecure | \$ |
| The following elements can be bid as a single cost (as long as it covers up to 27 units) and/or per unit. | ONE TIME COST | PER UNIT PRICE |
| Advanced supportive software for in house storage/ review/retrieval/evidence management (including all licenses). | \$ | \$ |
| At least a one year basic warranty on all equipment/software/services. | \$ <u>Included</u> | \$ <u>Included</u> |
| Long-term and responsive tech support (beyond basic warranty period). | \$ | \$ |
| You may also offer an OPTION (not required) of an extended warranty, and/or service contract, for a minimum of two additional years (three total), with another OPTION (not required) to continue for an additional three years beyond that (six total). Basic/Extended two year total Warranty/Contract (3 year total) Extended Warranty/Contract for an additional three years (6 years total) | \$ \$ | \$ \$ |
| TOTAL PER UNIT PRICE (excluding the extended warranty option | ns) | \$(figures) |
| (words) | | |
| TOTAL ONE TIME PRICE (excluding the extended warranty options) | \$(figures) | |
| (words) | | |

| | | ONE TIME COST | PER UNIT PRICE |
|--------|---|----------------------------|----------------|
| ONGOL | OITION, BIDDERS <u>MUST</u> IDENTIFY ANY <u>YEARLY</u> AND/OR NG COSTS/CONTRACT FEES/LICENSE FEES BEYOND WHA ERED IN THE BASIC BID/WARRANTY | AT \$ | \$ |
| propos | ndersigned, as bidder, declare that I am familiar with the al is accepted, I agree to enter into an agreement with rvices to the City of Kirksville within <u>60 calendar days of</u> | The City to furnish the sp | |
| | Name of Company: | | N |
| | Address of Company: | | |
| | | | |
| | Phone <u>:(</u>) | | |
| | FAX <u>:(</u>) | | |
| | | | |
| | Signature of Authorized Representative: | | |
| | Print Name: | 7.00 | |
| | Title: | | |
| | Date | | |

• If questions prior to bid, please contact:

Jim Hughes Chief of Police 660-785-6945

NOTE: The included specification sheet(s) must be completed and returned with this bid form.

Required Work/Check Sheet

Body Worn Camera System(s) for the City of Kirksville, MO Police Department

| Minimum Base Specifications Meets Specs Mov? | | | | 1 | A PARTIE AND THE PART |
|--|---|-------------|--|---------------------------------------|--|
| DWARE and exterior In control paperoved storage s serier shock proof) srefer shock proof) ston (ambidextrous) operation fron (ambidextrous) operation fronter ciciental activation and ivation rother loss prevention system (provide good image) (provide good image) (provide good image) (provide good image) (provide spood imag | Minimum Base Specifications | Meets Specs | If not, why? | Exceeds Specs | How? |
| Hardened interior and exterior Smallightweight Turnkey operation Automatic centralized docking and simple automatic quick data transfer to only approved storage Westlergroof Quick charge times Impact resistantifprefer shock proof) Tampergroof Centralized to prevent accidental activation and inaberetent deactivation Security Janyard or other loss prevention system Low light capable (provide good image) Low light capable (provide good image) Realistically capture officer perspective Realistically capture officer perspective Marranty One barranty (all parts) with option for extended warranty (all parts | | N/A | | N/A | |
| Inalization interior and exterior Small physiology weight Iumkey operation Automatic centralized docking and simple automatic duck data transfer to only approved storage Weatherproof Out-charge times Cone hand/one button (ambidextrous) operation Seleguand to prevent accidental activation and inalyzerian department of the provider good image) Security lanyard or other loss prevention system Low light capable (provide good image) Realistically capture officer perspective Internal Memory 16 GB (prefer 32) One button record Wisible status indicators (e.g. on/off, battery life) Wisible status indicators (e.g. on/off, battery life) Warranty Wisible status indicators (e.g. on/off, battery life) Allow immediate playback in the field with audio (audio is preferred but NOT required) High quality microphone (minimizing ambient noise) Variable resolution 480p-720p (Replay/record in color) Recording rate 30fps On experts according to the provide or only a supplementation of the playbyrecord in color) Recording rate 30fps On experts departs and the provide or only a provided or only a provi | HARDWARE | | | | |
| Small/lightweight Livrikey operation. Automatic operation and simple automatic automatic rounds only approved storage wheatherproof cluck charge times. Impact resistant/prefer shock proof) Tampeproof Lone hand/one button (ambidextrous) operation safeguard to prevent accidental activation and inadvertent deactivation and inadvertent deactivation are cidental activation and inadvertent deactivation from the state of prevent accidental activation and inadvertent deactivation from the state of prevent activation system Low light capable provide good image) Realistically capture officer perspective Internal Memory 15 GS (prefer 32) One button record Visible status indicators (e.g. on/of, battery life) One year warranty (all parts) with option for extended warranty (all parts) with option for extended warranty (all parts) with option for extended large monitor/view on the camera (prefer 2" but NOT required) Large monitor/view on the camera (prefer 2" but NOT required) High quality microphone (minimizing ambient noise) Wariable resolution 480p-720p (Replay/record in color) Recording rate 30fbs. On camera screen display. | Hardened interior and exterior | | | | |
| Automatic centralized docking and simple automatic Quick data transfer to only approved storage Weatherproof Quick charge times Quick charge times Quick charge times Charge times Cone hand/one button (ambidextrous) operation Impact ceststant/prefer shock proof) Impact resistant/prefer shock prefer shock p | Small/lightweight | | | | |
| Automatic centralized docking and simple automatic quick data transfer to only approved storage Weatherproof Quick charge times Impact resistant(prefer shock proof) Imperpoof One hand/one button (ambideatrous) operation Safeguard to prevent accidental activation and Imaderent deactivation Security lanyard or other loss prevention system Low light capable (provide good image) Low light capable (provide good image) Low light capable (provide good image) Low languard for prevention system Low light capable (provide good image) Low large more considered to the construction of the prevention of the construction of the const | Turnkey operation | | | | |
| quick dara transfer to only approved storage Weatherproof Quick darge times Impact resistant(prefer shock proof) Impact resistant(prefer shock proof) Impact resistant(prefer shock proof) One hand/one button (ambidextrous) operation Safeguard to prevent accidental activation and Inadvertent deactivation Security lanyard or other loss prevention system Low light capable (provide good image) Realistically capture officer perspective Internal Memory 16 GB (prefer 32) One button record Visible status indicators (e.g. on/off, battery life) One year warranty (all parts) with option for extended warranty Large monitor/view on the camera (prefer 2" but NOT required) Allow immediate playback in the field with audio [audio is preferred but NOT required) High quality microphone (minimizing ambient noise) Variable resolution 480p-720p (Replay/record in color) Recording rate 30fts On camera screen display | Automatic centralized docking and simple automatic | | | | |
| Weatherproof Junick charge times Impact resistant/prefer shock proof) Tamperproof One hand/one button (ambidextrous) operation Safeguard to prevent accidental activation and inadvertent deactivation Scurity Janyard or other loss prevention system Low light capable (provide good image) Low light capable (provide good image) Realistically capture efficer perspective Internal Memory 16 GB (prefer 32) One button record Visible status indicators (e.g. on/off, battery life) One year warranty (all parts) with option for extended for extended warranty (all parts) with option for extended warranty (all parts) with option for extended warranty (all parts) with option for extended for extended warranty (all parts) with option for extended for extended warranty (all parts) with option for extended for exte | quick data transfer to only approved storage | | The same of the sa | | The state of the s |
| Quick charge times Properties | Weatherproof | | | | |
| Impact resistant(prefer shock proof) Impactproof One hand/one button (ambidextrous) operation Safeguard to prevent accidental activation and inadvertent deactivation Security (anyard or other loss prevention system Low light capable (provide good image) Realistically capture officer perspective Internal Memory 16 GB (prefer 32) One button record Visible status indicators (e.g. on/off, battery life) One year warranty (all parts) with option for extended warranty Large monitor/view on the camera (prefer 2" but NOT required) Allow immediate playback in the field with audio (audio is preferred but NOT required) High quality microphone (minimizing ambient noise) Variable resolution 480p-720p (Replay/record in colof) Recording rate 30fps On camera screen display | Quick charge times | | | | |
| Tramperpoof One hand/one button (ambidextrous) operation Safeguard to prevent accidental activation and Inadvertent deactivation Security lanyard or other loss prevention system Low light capable (provide good image) Realistically capture officer perspective Internal Memory 15 GB (prefer 32) One button record Visible status indicators (e.g. on/off, battery life) One year warranty (all parts) with option for extended warranty Large monitor/view on the camera (prefer 2" but NOT required) Allow immediate playback in the field with audio (audio is preferred but NOT required) High quality microphone (minimizing ambient noise) Variable resolution 480p-720p (Replay/record in color) Recording rate 30fps On camera screen display | Impact resistant(prefer shock proof) | | | | |
| One hand/one button (ambidextrous) operation Safeguard to prevent accidental activation and inadvertent deactivation Security lanyard or other loss prevention system Low light capable (provide good image) Realistically capture officer perspective Internal Memory 16 (e.g. on/off, battery life) One button record. Visible status indicators (e.g. on/off, battery life) One year warranty (all parts) with option for extended warranty Large monitor/view on the camera (prefer 2" but NOT required) Allow immediate playback in the field with audio (audio is preferred but NOT required) High quality microphone (minimizing ambient noise) Variable resolution 480p-720p (Replay/record in color) Recording rate 30fes On camera screen display | Tamperproof | | | | |
| Safeguard to prevent accidental activation and Inadvertent deactivation Security lanyard or other loss prevention system Low light capable (provide good image) Realistically capture officer perspective Internal Memory 16 GB (prefer 32) One button record Visible status indicators (e.g. on/off, battery life) One year warranty (all parts) with option for extended warranty (all parts) with option for extended warranty (all parts) with option for extended warranty Large monitor/view on the camera (prefer 2" but NOT required) Allow immediate playback in the field with audio (audio is preferred but NOT required) High quality microphone (minimizing ambient noise) Variable resolution 480p-720p (Replay/record in color) Recording rate 30fps On camera screen display | One hand/one button (ambidextrous) operation | | A Data day of the contract of | | |
| Inadvertent deactivation Security lanyard or other loss prevention system Low light capable (provide good image) Realistically capture officer perspective Internal Memory 16 GB (prefer 32) One button record Visible status indicators (e.g. on/off, battery life) One year warranty (all parts) with option for extended warranty Large monitor/view on the camera (prefer 2" but NOT required) Allow immediate playback in the field with audio (audio is preferred but NOT required) High quality microphone (minimizing ambient noise) Variable resolution 480p-720p (Replay/record in color) Recording rate 30fps On camera screen display | Safeguard to prevent accidental activation and | | | | |
| Security lanyard or other loss prevention system Low light capable (provide good image) Realisticular officer perspective Realisticular officer perspective Internal Memory 16 GB (prefer 32) One button record Visible status indicators (e.g. on/off, battery life) One year warranty (all parts) with option for extended warranty Large monitor/view on the camera (prefer 2" but NOT required) Allow immediate playback in the field with audio (audio is preferred but NOT required) High quality microphone (minimizing ambient noise) Variable resolution 480p-720p (Replay/record in color) Recording rate 30fps One year warranty (all parts) with option for extended Variable resolution 480p-720p (Replay/record in color) Recording rate 30fps | inadvertent deactivation | | | | |
| Low light capable (provide good image) Realistically capture officer perspective Realistically capture officer offic | Security lanyard or other loss prevention system | | | | |
| Realistically capture officer perspective Internal Memory 16 GB (prefer 32) One button record Visible status indicators (e.g. on/off, battery life) One year warranty (all parts) with option for extended warranty Large monitor/view on the camera (prefer 2" but NOT required) Allow immediate playback in the field with audio (audio is preferred but NOT required) High quality microphone (minimizing ambient noise) Variable resolution 480p-720p (Replay/record in color) Recording rate 30fps On camera screen display | Low light capable (provide good image) | | | | |
| Internal Memory 16 GB (prefer 32) One button record Visible status indicators (e.g. on/off, battery life) One year warranty (all parts) with option for extended warranty Large monitor/view on the camera (prefer 2" but NOT required) Allow immediate playback in the field with audio (audio is preferred but NOT required) High quality microphone (minimizing ambient noise) Variable resolution 480p-720p (Replay/record in color) Recording rate 30fps On camera screen display | Realistically capture officer perspective | | a de la companya de l | | |
| One button record Visible status indicators (e.g. on/off, battery life) One year warranty (all parts) with option for extended warranty Large monitor/view on the camera (prefer 2" but NOT required) Allow immediate playback in the field with audio (audio is preferred but NOT required) High quality microphone (minimizing ambient noise) Variable resolution 480p-720p (Replay/record in color) Recording rate 30fps On camera screen display | Internal Memory 16 GB (prefer 32) | | | | The state of the s |
| Visible status indicators (e.g. on/off, battery life) One year warranty (all parts) with option for extended warranty Large monitor/view on the camera (prefer 2" but NOT required) Allow immediate playback in the field with audio (audio is preferred but NOT required) High quality microphone (minimizing ambient noise) Variable resolution 480p-720p (Replay/record in color) Recording rate 30fps On camera screen display | One button record | | | | |
| One year warranty (all parts) with option for extended warranty Large monitor/view on the camera (prefer 2" but NOT required) Allow immediate playback in the field with audio (audio is preferred but NOT required) High quality microphone (minimizing ambient noise) Variable resolution 480p-720p (Replay/record in color) Recording rate 30fps On camera screen display | Visible status indicators (e.g. on/off, battery life) | | | | |
| Large monitor/view on the camera (prefer 2" but NOT required) Allow immediate playback in the field with audio (audio is preferred but NOT required) High quality microphone (minimizing ambient noise) Variable resolution 480p-720p (Replay/record in color) Recording rate 30fps On camera screen display | One year warranty (all parts) with option for extended | | | | |
| Large monitor/view on the camera (prefer 2" but NOT required) Allow immediate playback in the field with audio (audio is preferred but NOT required) High quality microphone (minimizing ambient noise) Variable resolution 480p-720p (Replay/record in color) Recording rate 30fps On camera screen display | warranty | | | | |
| Allow immediate playback in the field with audio (audio is preferred but NOT required) High quality microphone (minimizing ambient noise) Variable resolution 480p-720p (Replay/record in color) Recording rate 30fps On camera screen display | Large monitor/view on the camera (prefer 2" but NOT required) | | | | |
| High quality microphone (minimizing ambient noise) Variable resolution 480p-720p (Replay/record in color) Recording rate 30fps On camera screen display | Allow immediate playback in the field with audio | | | · · · · · · · · · · · · · · · · · · · | |
| Variable resolution 480p-720p (Replay/record in color) Recording rate 30fps On camera screen display | (audio is preferred but NOT required) | | | | |
| Recording rate 30fps On camera screen display | Variable resolution ASOn-720n (Replay/record in color) | | | | |
| On camera screen display | Recording rate 30fps | | | | The state of the s |
| | On camera screen display | | | | |

Required Work/Check Sheet

Body Worn Camera System(s) for the City of Kirksville, MO Police Department

| | | | | , |
|--|---------------|--|-------------|--|
| | | | | Ability to take still photos (preferred but NOT required) |
| | | | | In field charging option (preferred NOT required) |
| | | | | Secure/complete data wipe after download |
| | | | | required) |
| | | | | Audio only and video only options (preferred but NOT |
| | | | | Easily/simply upgraded |
| | | | | Continued tech support beyond warranty period |
| | | | | Quick turn around for repair/replacement. |
| And the second s | | | | whether individual issue or pooled. |
| | | | | Camera must identify assigned officer using the BWC, |
| | | | | deactivate this indicator. |
| | | | | required). This should also include the option to |
| | | - | | to know BWC is active/recording (Preferred, NOT |
| | | | | Forward facing light, or other indicator, to allow public |
| | | A STATE OF THE STA | | Scratch resistant lens (or other lens protection) |
| | | | | Temperature range -5 to 120 (degrees Fahrenheit |
| | | | | customized retention periods |
| | | | | In field categorization of video on the BWC unit with |
| A STATE OF THE STA | | | | Humidity resistant, including non-condensation |
| | | | | Field of view 120 degrees |
| | | | | torso on exterior of uniform |
| | | | | Firmly fixed, with high quality clip/attachment to upper |
| | | | | 16 hours standby time |
| | | | | Long life batteries with 9 hours continuous recording |
| | | | | O to |
| | | | | Pre Event recording 30 seconds |
| | N/N | | ν/ν | And the second s |
| How? | Exceeds Specs | If not, why? | Meets Specs | Minimum Base Specifications |
| | | | | |

Required Work/Check Sheet

Body Worn Camera System(s) for the City of Kirksville, MO Police Department

| Minimum Base Specifications | Meets Specs | If not. why? | Exceeds Specs | How? |
|--|-------------|--|---------------|--|
| - | N/A | | Y/N | |
| SOFTWARE | | | | |
| Complete evidence management/chain-of-custody | | | | |
| Complete security management including detailed | | | | |
| audit logs | | | | The state of the s |
| Ability to export files as needed | | | | |
| Complete advanced user friendly search/viewing | | | | |
| capabilities, including frame-by-frame | | | | And the state of t |
| Ability to simply/easily/accurately electronically | | | | |
| redact/edit as necessary | | | | |
| Must be compatible with Windows 7/10 64-Bit and | | | | |
| Server 2012 R2, and future upgrades of that system. | | The state of the s | | |
| Must be able to be easily/simply installed on the | | | | |
| Tamperproof | | | | |
| Allow automatic download of BWC data into | | | | |
| Department's servers(s) | | | | |
| Ability to create new file with shortened/edited version | | | | |
| Must automatically delete/save BWC as categorized in | | | | |
| the field. Also the ability to manually delete | | | | |
| Quick downloads | | Andread all the state of the st | | |
| Unlimited access to system administrator(s) | | | | Total Control of the |
| Simply/easily allow playback of BWC data on other | | | | |
| systems (not require special software) | | | | |
| Complete (software and hardware) with all licenses | | | | |
| Includes in-depth administrator training | | | | Karangan and an analysis and a |
| Includes staff training | | | | |
| In consultation with the Department will develop a | | | | |
| complete implementation plan | | | | |
| | | | | |
| | | | | |

CITY OF KIRKSVILLE

INSURANCE REQUIREMENTS FOR STANDARD CONTRACTS FOR PROJECTS <u>UNDER</u> \$500,000 OR 180 DAYS IN LENGTH

INSURANCE PROVISIONS:

- A. <u>Worker's Compensation:</u> The coverage must include Employer's Liability with a minimum limit of \$1,000,000 for each accident and cover all employees meeting Statutory Limits in compliance with the applicable state and federal laws. The City reserves the right to waive the requirement for this provision upon the approval of the City Manager
- B. <u>Comprehensive General Liability:</u> Coverage shall have minimum limits of \$1,000,000 per Occurrence, Combined Single Limit for Bodily Injury and Property Damage Liability. This shall include: Premises and Operations, Independent Contractors, Products and Completed Operations, Broad Form Property Damage and XCU Coverage, and a Contractual Liability Endorsement. The City reserves the right to waive the requirement for this provision upon the approval of the City Manager
- C. <u>Business Auto Liability</u>: Coverage shall have minimum limits of \$1,000,000 per Occurrence, Combined Single Limit for Bodily Injury and Property Damage Liability, including Owned, Hired, and Non-owned Vehicles and Employee Non-ownership.
- D. <u>Builders' Risk:</u> Is required for construction of and/or additions to buildings or structures. It shall be all Risk coverage, with the limit of insurance to equal 100% of the completed value of the structure. A Waiver of Occupancy Clause must be included to allow the City to occupy the facility during construction. \$5,000 is the maximum Deductible Clause for each claim. And when a contract includes installation of machinery and/or equipment into an existing structure, the policy must include an endorsement covering same, including installation and transit.

SPECIAL REQUIREMENTS:

- A. The City of Kirksville is to be included as an <u>Additional Insured</u> on both the Comprehensive General, Business Auto Liability and Builders' Risk Policies. Proof to be provided with the actual endorsement page and insurance certificate.
- B. An appropriate <u>Hold Harmless Clause</u> shall be included.
- C. Current, Valid insurance policies meeting the requirement herein identified shall be maintained during the duration of the named project. Renewal certificates or cancellation notices shall be sent to the City 30 days prior to any expiration date.
- D. It shall be the responsibility of the contractor to insure that all subcontractors comply with the same insurance requirements that he is required to meet.
- E. Certificates of insurance meeting the required insurance provisions shall be forwarded to the Office of Risk Management.

Effective: 7/86 Revised 7/90, 4/97, 5/08, 11/14